

CDC's Work in HIV, STD, Viral Hepatitis, and TB Prevention

Jonathan Mermin, MD, MPH

Director, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention

2018 New Health Officials Orientation

May 1, 2018

Prioritizing High Impact Prevention


 Mission: Save lives, protect people, and reduce health disparities associated with HIV, viral hepatitis, STDs, and TB

Goals:


- Decrease incidence of infection
- Decrease morbidity and mortality
- Decrease health disparities
- Guiding Principle—High Impact Prevention
 - Maximize impact through efficient implementation of cost effective, scalable interventions, policy, and research



Rates of Reported STDs Increased for Third Consecutive Year in 2016




STD/HIV Disparities Among MSM*



^{*}Data points for MSM and MSW are based on preliminary 2017 data and only include cases where age was known to be 18 years or over.


STD Prevention Key Issues


- 2016 was highest number of cases of STDs ever reported
- Drug resistant gonorrhea
- Syphilis increasing among men who have sex with men, heterosexual women and men
- Congenital syphilis
- Need for new strategies



HIV Incidence Decreased 8% from 2010 to 2015 but Progress Is Uneven

- Annual infections decreased by 8%
- Annual infections remained stable among MSM, decreased in some groups
 - 22% increase among Hispanic/Latino MSM
 - 32% among MSM aged 25-34
- 6% of HIV infections were among people who inject drugs





HIV Prevention Key Issues

- Treatment saves lives and prevents transmission
- Data to care
- Preexposure prophylaxis (PrEP)
- Integrating HIV prevention and surveillance
- Detection of transmission clusters




Protect yourself and your partner. Talk about testing, your status, condoms, and new options like medicines that prevent and treat HIV.




Health Risks Among Youth

- More teens postponing first sexual experience
- Approximately 22% of all new HIV diagnoses are among young people aged 13-24 years
- Nearly 40% of sexually active high school students did not use a condom the last time they had sex
- Engaging in health-risk behaviors associated with poor grades, and lower educational attainment




Adolescent Health Key Issues

- Health education along the life course
- Linkage to health services
- Safe and supportive environments
- Figuring out how best to identify and serve youth at highest risk
- Addressing the opioid epidemic through primary prevention in schools



Acute Viral Hepatitis Cases Increasing

Over 22,000 Americans die of viral hepatitis each year



Doubling of number of pregnant women with HCV



Source: National Notifiable Diseases Surveillance System (NNDSS)


Viral Hepatitis Prevention Key Issues

- Increase diagnosis and treatment for persons with HBV and HCB
- Reduce spread of HBV and HCV associated with drug use and other common routes
- Prevent perinatal transmission of HBV and HCV
- Improve surveillance and monitor test and cure cascade
- Rapidly detect and respond to outbreaks



Highly Successful Public Health Efforts Led to Decline in U.S. TB Cases

Reported TB Cases in the United States, 1982-2017



TB Prevention Key Issues

- LTBI
 - Blood tests available
 - New, shorter treatments
 - Rifapentine and INH once a week for 12 weeks
 - New guidance soon
- Outbreak detection and control
- Electronic DOT



Think Big, Act Fast

- The course of these epidemics and inherent disparities are not inevitable
- We have had success that we can build on
- Society, healthcare system, and individuals can work together
- Comprehensive, effective programs brought to scale can prevent infections, reduce drug use, save lives, and save money